

## Certificate

of  
Radio Equipment in JAPAN

No: 201-200351 / 00

Telefication, operating as Conformity Assessment Body (CAB ID Number: 201) with respect to Japan, declares that the listed product complies with the Technical Regulations Conformity Certification of Specified Radio equipment (ordinance of MPT N° 37,1981)

Product description: **10.1 inch Touch Screen Surface mount**

Trademark: **CRESTRON**

Type designation: **M201923006**

Variants: **See Annex 3**

Manufacturer: **Crestron Electronics Inc.**

Address: **15 Volvo Drive**

City: **07647 Rockleigh, New Jersey**

Country: **United States**

This certificate is granted to:

Name: **Crestron Electronics Inc.**

Address: **15 Volvo Drive**

City: **07647 Rockleigh, New Jersey**

Country: **United States**

This certificate has THREE Annexes.

Zevenaar, 02 June 2020

**CAB**



David Chen  
Product Assessor





- The validity of this Certificate is limited to products, which are equal to the one examined in the type-examination
- When the manufacturer (or holder of this certificate) is placing the product on the Japanese market, the product must be affixed with the following Specified Radio Equipment marking:



**R** 201-200351

#### Remarks and observations

The following conditions are applicable:

Antennas for IEEE 802.11a/b/g/n/ac & Bluetooth:

PIFA antenna, max gain of -1.64 dBi at 2.4 GHz and max gain of 1.86 dBi at 5 GHz



## Documentation lodged for this type-examination

### Test Reports:

- BTL Inc.: BTL-JPAP-1-2003T099, 14 May 2020
- BTL Inc.: BTL-JPAP-2-2003T099, 14 May 2020
- BTL Inc.: BTL-JPAP-3-2003T099, 14 May 2020
- BTL Inc.: BTL-JPAP-4-2003T099, 14 May 2020
- BTL Inc.: BTL-JPAP-5-2003T099, 14 May 2020

### Product Documentation:

- Assembly drawings
- Bill of materials
- Block diagram
- Electrical diagrams
- Antenna specifications
- Internal photos
- External photos
- Manual
- Production quality
- Test setup photos

## Technical Standards and Specifications

The product shows no non-compliances with:

- Equipment Radio Regulations: 2008 (including amendments)

Chapter I, General Provisions

Chapter II, Transmitting equipment

Chapter III, Receiving Equipment

Chapter IV, section 4.17 article 49.20

Radio equipment specified in:

Item 19, Paragraph 1, Article 2

Item 19-2, Paragraph 1, Article 2

Item 19-3, Paragraph 1, Article 2

## Technical features and characteristics

The product includes the following features and characteristics:

### Bluetooth (incl. AFH)\_1M

- Operating frequency range: 2402-2480 MHz (79 channels)
- ITU designation: 78M3 F1D,G1D
- Maximum output power: 0.93 mW/MHz rated

### Bluetooth (incl. AFH)\_3M

- Operating frequency range: 2402-2480 MHz (79 channels)
- ITU designation: 78M3 F1D,G1D
- Maximum output power: 0.82 mW/MHz rated

### Bluetooth LE

- Operating frequency range: 2402-2480 MHz (40 channels)
- ITU designation: 1M33 F1D
- Maximum output power: 1.43 mW rated

### IEEE 802.11b

- Operating frequency range: 2412-2472 MHz (13 channels)
- ITU designation: 15M8 G1D
- Maximum output power: 8.83 mW/MHz rated

### IEEE 802.11g

- Operating frequency range: 2412-2472 MHz (13 channels)
- ITU designation: 17M7 D1D,G1D
- Maximum output power: 1.55 mW/MHz rated

### IEEE 802.11n 20 MHz

- Operating frequency range: 2412-2472 MHz (13 channels)
- ITU designation: 18M6 D1D,G1D
- Maximum output power: 1.50 mW/MHz rated

### IEEE 802.11n 40 MHz

- Operating frequency range: 2422-2462 MHz (9 channels)
- ITU designation: 36M4 D1D,G1D
- Maximum output power: 1.09 mW/MHz rated

### IEEE 802.11b ch14

- Operating frequency range: 2484-2484 MHz
- ITU designation: 17M6 G1D
- Maximum output power: 4.91 mW/MHz rated

### IEEE 802.11a

- Operating frequency range: 5180-5240 MHz (4 channels)
- ITU designation: 18M3 D1D,G1D
- Maximum output power: 1.63 mW/MHz rated

### IEEE 802.11n 20 MHz

- Operating frequency range: 5180-5240 MHz (4 channels)
- ITU designation: 19M0 D1D,G1D
- Maximum output power: 1.57 mW/MHz rated

### IEEE 802.11n 40 MHz

- Operating frequency range: 5190-5230 MHz (2 channels)
- ITU designation: 36M6 D1D,G1D
- Maximum output power: 0.74 mW/MHz rated



**IEEE 802.11ac (VHT80)**

- Operating frequency range: 5210-5210 MHz
- ITU designation: 75M5 D1D,G1D
- Maximum output power: 0.33 mW/MHz rated



The product as described in this Certificate includes the following type designations:

- Product description: 10.1 inch Touch Screen Surface mount  
- Trademark: CRESTRON  
- Type designation: M201923006

- Product description: 10.1 inch Touch Screen Surface mount  
- Trademark: CRESTRON  
- Type designation: TS-1070-B-S

- Product description: 10.1 inch Touch Screen Surface mount  
- Trademark: CRESTRON  
- Type designation: TS-1070-W-S